

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	882	(buffer\$1 same amplif\$4 same input\$3) and (voltage\$1 same impedance same amplitude\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:21
L2	216	(buffer\$1 same (differen\$4 near amplif\$4) same input\$3) and (voltage\$1 same impedance same amplitude\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:21
L3	159	(buffer\$1 same (differen\$4 near amplif\$4) same (input\$3 with signal\$4)) and (voltage\$1 same impedance same amplitude\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:23
L4	53	(buffer\$1 same (differen\$4 near amplif\$4) same (input\$3 with signal\$4) same referenc\$3) and (voltage\$1 same impedance same amplitude\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:23
L5	10	(buffer\$1 same (differen\$4 near amplif\$4) same (input\$3 with signal\$4)) and ((bias with voltage\$1) same impedance same amplitude\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:24
L7	2627	(365/189.05.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:24
L8	3	1 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:24
L9	0	2 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:25
L10	0	3 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/25 09:25